# राष्ट्रीय प्रौद्योगिकी संस्थान कर्नाटक, सुरत्कल

**DOC - 4** 

### NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA, SURATHKAL

विभाग / DEPARTMENT OF CIVIL ENGINEERING POST SRINIVASNAGAR, MANGALORE – 575 025 (D. K) पोस्ट- श्रीनिवासनगर, मंगलूरु – 575025 (डी. के)

Phone: (0824) 2474000.

E- mail: info@nitk.ac.in

Fax: (0824) 2474033

Website: http://www.nitk.ac.in



# उद्धरण आमंत्रण सूचना/NOTICE INVITING QUOTATION

अधिस्चना संख्या/ Notification. No: NITK/Dean(R&C)/2024-25/443/04 दिनांक/Dated: 29/05/2025

Ta hay baled. 25/05/20		
सामग्री का नाम/ Name of Goods	Portable Multiparameter Meter	
अनुमानित राशि / Estimated Amount	₹ 4,00,000/-	
ई.एम.डी राशि (अनुमानित राशि का 2%) (2.5 लाख से ऊपर के		
अनुमानित राशि लिए लागू) / EMD Amount (2% of estimated	₹ 8000/-	
amount) (Applicable for estimate above 2.5 lakhs)		
क्रय आदेश जारी होने के बाद वस्तु की आपूर्ति का समय	40 ( <del>D.</del> (Deve)	
/ Time for Supply of item after release of Purchase order	10 (दिन /Days)	
दस्तावेज़ डाउनलोड/बिक्री आरंभ तिथि।	30/05/2025	
Document Download / Sale Start Date		
स्पष्टीकरण आरंभ तिथि / Clarification Start Date	30/05/2025	
स्पष्टीकरण समाप्ति तिथि / Clarification End Date	06/06/2025, 3.00 PM	
बोली जमा करने की आरंभ तिथि/Bid Submission Start Date	30/05/2025	
बोली जमा करने की अंतिम तिथि / Last Date for submission of bids	16/06/2025 before 3.00 PM	
बोली खोलने की तिथि/ Bid Opening Date	17/06/2025, 3.00 PM	
बोली जमा करने का पता/Address for Submission of bids	Department of Civil Engineering, National Institute of Technology Karnataka, Surathkal NH66, Post Srinivasnagar, Mangalore-575025, Karnataka, India. Contact: Dr. Jacklin Jeke Nilling (+91-7393895512)	



### राष्ट्रीय प्रौद्योगिकी संस्थान कर्नाटक, सुरत्कल NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA, SURATHKAL विभाग / DEPARTMENT OF CIVIL ENGINEERING

POST SRINIVASNAGAR, MANGALORE – 575 025 पोस्ट- श्रीनिवासनगर, मंगलूरु - 575025 (डी. के)

Phone: (0824) 2474000

E- mail: info@nitk.ac.in

Fax: (0824) 2474033

Website: http://www.nitk.ac.in

अधिसूचना संख्या / Notification No: NITK/Dean(R&C)/2024-25/443/04

दिनांक/ Date: 29/05/2025

#### **NOTICE INVITING QUOTATION (NIQ)**

The National Institute of Technology Karnataka, Surathkal (in short – NITK, Surathkal) is an Institute of National Importance Under Ministry of Education Govt of India, imparting Technical Education and engaged in Research Activities. It is proposed to procure the items for the departmental academic/research activities.

Sealed Quotations as per the Price Schedule given in this NIQ are invited for the following items subject to the terms and conditions, from the reputed manufacturers or its authorised dealers so as to reach on or before scheduled date and time. The quotations in the firm's Business letter head should be address to the "Director, NITK, Surathkal". The envelope shall be superscribed with the Quotation Notification Number and the Name of the Goods for which quotation is submitted.

सामग्री का नाम / Name of Goods	Portable Multiparameter Meter	
अनुमानित राशि / Estimated Amount	₹ 4,00,000/-	
ई.एम.डी राशि (अनुमानित राशि का 2%) (2.5 लाख से ऊपर के		
अनुमानित राशि लिए लागू)/ EMD Amount (2% of estimated	₹ 8000/-	
amount) (Applicable for estimate above 2.5 lakhs)		
क्रय आदेश जारी होने के बाद वस्तु की आपूर्ति का समय	10 (दिन /Days)	
/ Time for Supply of item after release of Purchase order	10 (IGH /Days)	
दस्तावेज़ डाउनलोड/बिक्री आरंभ तिथि <i>।</i>	30/05/2025	
Document Download / Sale Start Date	00/00/2020	
स्पष्टीकरण आरंभ तिथि / Clarification Start Date	30/05/2025	
स्पष्टीकरण समाप्ति तिथि / Clarification End Date	06/06/2025, 3.00 PM	
बोली जमा करने की आरंभ तिथि / Bid Submission Start Date	30/05/2025	
बोली जमा करने की अंतिम तिथि <i>।</i>	16/06/2025 before 3.00 PM	
Last Date for submission of bids	10/00/2023 <b>Before 3.00 F M</b>	
बोली खोलने की तिथि / Bid Opening Date	17/06/2025, 3.00 PM	

Sd/-HOD

[मोहर के साथ एचओडी के हस्ताक्षर]

Note: Institute shall not be responsible for any postal delay about non-receipt /non-delivery of the bids or due to wrong addressee.

### SECTION-1 Terms and Conditions

- 1. The rates should be quoted for preferably FOR destination from supply within India.
- 2. The bidder shall indicate the excise duty exemption for the goods if applicable.
- 3. The rate quoted should be on unit basis. Taxes and other charges should be quoted separately, considering exemptions if any. The rate should be quoted in INR only
- 4. Rate quoted should be inclusive of Testing, commissioning and Installation of equipment and Training.
- 5. Payment: No advance payment will be made. Payment will be made only after the supply of the item in good and satisfactory condition and receipt of performance security by supplier.
- 6. Guarantee/Warrantee period should be specified for the complete period should be specified in section 3 of this tender document.
- 7. Period requirement for the supply and installation of item should be specified in section 3 of this tender document.
- 8. In case of dispute, the matter will be subject to Mangalore Jurisdiction only.
- 9. <u>Delivery Period</u>: The Delivery Period/Time shall be deemed to be the essence of the Contract and delivery must be completed not later than such date(s). If the Supplier does not perform its obligations within the Delivery Period/Date mentioned in the Contract, the same would constitute the breach of the Contract and the Institute shall have the right to cancel or withdraw the Contract for the unsupplied portion after the expiry of the original or extended delivery date or period stipulated in the Contract. Such cancellation of the contract on account of non performance by the Supplier would entitle the Buyer to forfeit the EMD/Performance Security besides other actions such as debarment from the Institute as per GFR 2017.
- 10. <u>Liquidated Damages</u>: Timely delivery is the essence of the contract and hence if the Supplier fails to deliver Goods within the original/extended delivery period(s) specified in the contract, the Institute will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 1% per week or part of the week of the delayed period as pre-estimated damages not exceeding 5% of the contract value without any controversy/dispute of any sort whatsoever.
- 11. The bidder needs to comply with restrictions under rule No 144 (xi) of GFR (General Financial Rules) 2017 and the clause pertaining to Public Procurement Division Order (Public Procurement no 1,2 & 3 vide ref. F.No.6/18/2019-PPD dated 23.07.2020 and 24.07.2020 of Dept of Expenditure (DOE), Ministry of Finance). In this Connection Bidder has to submit Self Certification (as per Annexure A or B), depending on the status of the bidder.
- 12. The bidder needs to submit a Self-certification in line with Make in India, Public Procurement Order No. P-45021/2/2017-BE-II dt. 15.06.2017, P 45021/2/2017-PP (BE-II) dated 28.05.2018, P-45021/2/2017-PP (BE-II) dated 29.05.2019 and P45021/2/2017- PP (BE II) dated 16.09.2020 of DPIIT, Ministry of Commerce & Industry.

- The Bidder who will not meet this criterion will be rejected in the technical bid. The Self-certification should be provided as per Annexure C.
- 13. EMD must be in the form of Bank Guarantee **Annexure-D** (Fixed Deposit Receipt/Insurance surety bonds/DD/e-Payment mode (through Credit/Debit cards / Net Banking). It will be valid for 180 days from the date of opening of the tender. In case of EMD payment made through E-Payment, UTR Number with details should be uploaded. The firm registered with MSME/NSIC as per MSME procurement policy order 2012 will be exempted from submission of EMD. Intended parties will have to give proof of registration along with their tender. EMD of the unsuccessful bidders shall be refunded without any interest at the earliest after finalization of the purchase of the concerned item.
  - a. The EMD will be returned to the BIDDERs(s) whose offer is not accepted by NITK within one month from the date of the placing of the purchase order(s) on the selected BIDDER(s). In the case of the BIDDER(s) whose offer is accepted the EMD will be returned on submission of Performance Security in the form of Bank Guarantee (BG). However, if the return of EMD is delayed for any reason, no interest/penalty shall be payable to the Bidders.
  - b. The successful BIDDER, on the award of contract/order, must send the contract/order acceptance in writing, within 15 days of award of contract/order failing which the EMD will be forfeited.
  - c. The EMD shall be forfeited in case a successful BIDDER fails to furnish the Performance Security.
  - d. Bidder should prepare the EMD as per the instructions specified in the tender document. The original EMD should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission as specified in the tender documents. The details of the BG/DD/FD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise, the uploaded bid will be rejected.
- 14. <u>Performance Security</u>: The successful bidder shall deposit performance security of 3% of the quoted price in the form of Bank Guarantee (ANNEXURE-E) of any scheduled bank drawn in favour of The Director, NITK Surathkal, Mangaluru payable at Mangaluru. In case the bidder fails to deposit the said Performance Security within the stipulated period, including the extended period if any, the Earnest Money Deposited by the bidder shall be forfeited automatically without any notice. Please note the following points:
  - a. Successful bidder should submit performance Security as prescribed above to the purchase Section, NITK Surathkal, on or before 30 days from the date of issue of order acknowledgment.
  - b. Performance Security shall be for the due and faithful performance of the contract and shall remain binding, notwithstanding such variations, alterations for extensions of time as may be made, given, conceded, or agreed to between the successful bidder and the purchaser under the terms and conditions of acceptance to tender.

- c. The successful bidder is entirely responsible for the due performance of the contract in all respects according to the terms and conditions of the tender.
- d. The validity of the Performance Security must cover the warranty period plus two months.
- 15. Abnormally quoted low bid will be liable for rejection as per the OM No.F.12/17/2019-PPD of Department of Expenditure, Ministry of Finance dated 6<sup>th</sup> February 2020.

\*\*Disclaimer\*\* Bidders are advised to exercise caution and not respond to any unknown calls, emails, or embedded links requesting payment for participating in the tender or for any other purpose. Please note that NITK Surathkal never asks for any tender fee for participation in tenders or bids.

### SCHEDULE OF REQUIREMENTS, SPECIFICATIONS AND ALLIED DETAILS

[ To be filled up by the Department / Centre of NITK, Surathkal ]

Item(s) Name to be Procured : Portable Multiparameter Meter

Brief Specifications of the Item(s) : Attached (Appendix 'F')

(Annexure-F)

Quantity : 01

Any other details / requirement : NA

Warranty Period required : 5 Years

Delivery Schedule expected after placement of Purchase order

(in Weeks) : 2 Weeks

Performance Security to be given

by Successful Bidder after release of

Purchase Order (in Rupees)

(applicable for estimate Above 2.5 lakhs)

: 3% of Purchase Order

### SECTION 3 PRICE SCHEDULE

[ To be used by the bidder for submission of the quotation]

1.	Item Name	:	
2.	Specifications (Conforming to Schedule of requirements Enclose additional sheets if necessary)	:	
3.	Currency and Unit Price	:	
4.	Quantity	:	
5.	Item Cost (SI No. 3 * SI. No. 4)	:	
6.	Taxes and Other Charges (i) Specify the type of taxes and duties in percentages and also in figures. (ii) Specify Other Charges in figures.	:	
7.	Warranty Period (Conforming to the Schedule of requirements)	:	
8.	Delivery Schedule (Conforming to the Schedule of requirements)	:	
9.	Name and address of the Firm for placing purchase order	:	
10.	Name and address of Indian authorized agent ( in case of imports only)	:	
Signat	ure of the Bidder:		
Name	and Designation:		
Busine	ess Address :		
Place:			Seal of the Bidder's Firm

### SECTION 4 CONTRACT FORM

[ To be provided by the bidder in the business letter head]

- 1. (Name of the Supplier's Firm) hereby abide by the delivery schedule mentioned in this document for supply of the items if the purchase order is awarded.
- 2. The item will be supplied conforming to the specifications stated in this document without any defect and deviations.
- 3. Warranty will be given for the period mentioned in this document and service will be rendered to the satisfaction of NITK, Surathkal during this period.

Signature of the Bidd	er:		
Name	:		
Business Address	:		
Place : Date :		Seal of the Bidder's Firm	n

### Annexure-A

## (Compliance to be submitted in the bidder's letterhead) (Applicable for estimate above 2.5 lakhs)

Sub: Compliance to Government of India order OM No.6/18/2019-PPD dated 23.07.2020 & 24.7.2020 regarding restrictions under Rule 144 (XI) of the General Financial Rules (GFRs), 2017

Item Name:	
Enquiry No.:	
pertaining to the procurement no	(name of the bidder company) have read the clauses Department of Expenditure's (DoE) Public Procurement Division Order (Public 1,2 & 3 vide ref. F.No.6/18/2019-PPD dated 23.07.2020 & 24.7.2020) regarding ocurement from a bidder of a country that shares a land border with India.
We hereby certitender.	fy that we are not from such a country and eligible to be considered for this
,	pliance of above said Gol Order and its subsequent amendment, (if any), by any ad to commercial rejection of their bids by NITK)
For and behalf o	f(Name of the bidder)
(Signature, date	& seal of an authorized representative of the bidder)

### Annexure-B

## (Compliance to be submitted in the bidder's letterhead) (Applicable for estimate above 2.5 lakhs)

Sub: Compliance to Government of India order OM No.6/18/2019-PPD dated 23.07.2020 & 24.7.2020 regarding restrictions under Rule 144 (XI) of the General Financial Rules (GFRs), 2017

(name of the bidder company) have read the clauses
epartment of Expenditure's (DoE) Public Procurement Division Order (Public
2 & 3 vide ref. F.No.6/18/2019-PPD dated 23.07.2020 & 24.7.2020) regarding
urement from a bidder of a country which shares a land border with India.
a country which shares a land border with India & have been registered with
nority as specified in the above-said order. We hereby certify that we fulfill all s regard and are eligible to be considered.
regard and are engine to be considered.
egistration by the Competent Authority is attached.
ance of above said Gol Order and its subsequent amendment, (if any), by any
to commercial rejection of their bids by NITK)
(Name of the bidder)
soal of an authorized representative of the hidder
seal of an authorized representative of the bidder)

#### **Annexure-C**

### Self-Certification on the letterhead of the company (Applicable for estimate above 5 lakhs)

In line with Government Public Procurement Order No. P-45021/2/2017-BE-II dt. 15.06.2017, P-45021/2/2017-PP (BE-II) dated 28.05.2018, P-45021/2/2017-PP (BE-II) dated 29.05.2019 and P-45021/2/2017-PP (BE-II) dated 16.09.2020, we hereby certify that (Supplier name) are local supplier meeting requirement of minimum local content \_\_\_\_\_\_ % defined in as above orders for the material against Enquiry / Tender No Details of the location at which local value addition will be made are as follows: We also understand false declarations will be in breach of the Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which a bidder or its successors can be debarred for up to two years as per Rule 151 (iii) of the General Financial Rules along with such other actions as may be permitted under law. Date: Signature: Place: Name and Designation: Mobile no: Office Telephone No: Email ID:

Office Seal:

#### FORMAT FOR EARNEST MONEY DEPOSIT / BID BOND

(Applicable for estimate above 2.5 lakhs)

(To be typed on <u>Non-judicial stamp paper</u> of value Indian Rupees Five Hundred) (TO BE ESTABLISHED THROUGH ANY OF THE NATIONAL BANKS (WHETHER SITUATED AT MANGALURU OR OUTSTATION) WITH A CLAUSE TO ENFORCE THE SAME ON THEIR LOCAL BRANCH AT MANGALURU OR ANY SCHEDULED BANK (OTHER THAN NATIONALISED BANK) SITUATED AT MANGALURU. BONDS ISSUED BY COOPERATIVE BANKS ARE NOT ACCEPTED)

LETTER OF GUARANTEE
To Director, National Institute of Technology Karnataka, Srinivasnagar P.O., Surathkal Mangaluru – 575025
IN ACCORDANCE WITH YOUR TENDER for the supply of
(Rupees) valid up to <b>(180 days from the date of issue of Bank Guarantee)</b> , is required to be submitted by the bidder as a condition precedent for participating in the said bid, which amount is liable to be forfeited by the Purchaser on (1) the withdrawal or revision of the offer by the bidder within the validity period, (2) Non acceptance of the Letter of Intent/Purchase order by the Bidder when issued within the validity period, (3) failure to execute the contract as per contractual terms and condition within the contractual delivery period and (4) on the happening of any contingencies mentioned in the bid documents.
During the validity of this Bank Guarantee:  We,
reservation, protest, demur and recourse. Any such demand made by the NITK Surathkal shall be conclusive and recourse. Any such demand made by the purchaser shall be binding on the Bank irrespective of any dispute or difference raised by the Bidder.
The Guarantee shall be irrevocable and shall remain valid up to(180 days from the date of issue of Bank Guarantee) If any further extension is required, the same shall be extended to such required period on receiving instruction from the Bidder, on whose behalf the is Guarantee is issued.
Notwithstanding anything contained herein:  * Our liability under this Bank Guarantee shall not exceed Rs(Rupees).

- \* This Bank Guarantee shall be valid up to.....(date).
- \* We are liable to pay the guaranteed amount or any part thereof under this Bank Guarantee Only and only if you serve upon us a written claim on or before ......(date).

### Yours truly,

Signature and seal of the guarantor: Name of Bank:

Address:

Date:

Instruction to Bank: Bank should note that on expiry of Bond Period, the Original Bond will not be returned to the Bank. The bank is requested to take appropriate necessary action on or after the expiry of the bond period

### Annexure-E

### FORMAT FOR PERFORMANCE GUARANTEE BOND

(To be typed on Non-judicial stamp paper of the value of Indian Rupees of Five Hundred)
(Applicable for estimate above 2.5 lakhs)

To, Director, National Institute of Technology Karnataka, Srinivasnagar P.O., Surathkal Mangaluru – 575025
Whereas
And Whereas you have stipulated it in the said contract that the contractor shall furnish you with a pank guarantee by a Commercial bank for the sum specified therein as security for compliance with its obligations as per the contract;
And Whereas we have agreed to give the contractor such a bank guarantee.
Now Therefore we hereby affirm that we are guarantors and responsible to you, on behalf of the contractor, up to a total of
We hereby waive the necessity of your demanding the sail debt from the contractor before presenting us with demand.
We further agree that no change or addition to or other modification of the terms of the contract to be performed thereunder or of any of the contract documents which may be made between you and the contractor shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification.
This guarantee shall be valid until theday of20
Our*(Name & Address of the*(Name & Address of the*(branch) is liable to pay the guaranteed amount depending on the filing of a claim and any part thereof under this Bank Guarantee only and only if you serve upon us at our* branch a written claim or demand and received by us at our
guarantee after that.

(Signature of the authorized officer of the Bank)
Name and designation of the officer
Seal, name & address of the Bank and address of Branch

\*Preferably at the headquarters of the authority competent to sanction the expenditure for the procurement of goods or at the concerned district headquarters or the state headquarters.

#### Annexure-F

#### **Detailed Technical Specifications**

A. Generic	
Type of Meter	Portable Multiparameter Meter
Measurement Parameters	pH, ISE, Conductivity, D.O., ORP, mV, Ions, Temperature, RDO
Portability	Yes
B. Portable Meter Kit Should Include	

- I. Ultra<sup>™</sup> pH/ATC Triode 3-in-1 pH/ATC probe, 3 m cable
  - Ultra Low Maintenance pH/ATC Triode Combination Electrodes with a BNC and 8-pin MiniDIN Connector and 3 meter cable
  - diameter 12 mm
  - Epoxy body
  - Isopotential point 7
  - Precision 0.01
  - Warranty 18 months
  - Connection type BNC (Waterproof), 8-pin Mini-DIN
  - pH Relative Accuracy 0.03
  - type pH/ATC combination electrode
- II. conductivity probe
  - cell constant 0.475 cm<sup>-1</sup>
  - connector type 8-pin mini-DIN
  - length 3 m cable
  - Epoxy bodied graphite 4-cell
  - Min immersion 35 mm
  - Conductivity probe with built-in ATC temperature sensor
  - Type 4-electrode conductivity cell, waterproof 8-Din connector
- III. Fluoride combination ion selective electrode, 1m cable, waterproof
  - Diameter 13 mm

- Filling solution 900061 (9609BNWP and 960900); 900001 with 900100 single junction reference electrode (9409BN, 9409SC, and 940900)
- Measurement Range 1 x 10<sup>-6</sup> M to saturated 0.02 ppm to saturated
- Refillable yes
- Parameter single cell ion selective electrode
- Materials epoxy
- Connection types BNC
- For use with (equipment) ISE meter
- Temperature operating 0°C to 80°C continuous and 80°C to 100°C intermittent
- IV. High purity pH 4.01 buffer, 10 pouches
  - certified reference material
- V. High purity pH 7.00 buffer, 10 pouches
  - certified reference material
- VI. High purity 10.01 buffer, 10 pouches
  - certified reference material
- VII. electrode storage solution, 475 mL
  - certified reference material
- VIII. High purity 1413 µS conductivity standard, 10 pouches
  - certified reference material
- IX. Rinse solution, 10 pouches
  - certified reference material
- X. Other probes: ORP/ mV/ RmV and DO/RDO probe
- XI. Protective armor with probe holders
- XII. Hard carrying case
- XIII. Four AA batteries (installed)
- XIV. Printed quick start guide and literature CD
- XV. USB computer cable

XVI. 100/240V Power Supply, Manual

### C. Features and benefits required

- Easy meter operation assured with on-screen text prompts, menu-specific function keys and a multi-language interface for English, Spanish, French, Italian, German and Chinese
- Don't miss a reading—AUTO-READ™ locks in the stable reading on your screen, ready indicator alerts when readings are stable and timed reading gathers data in specific time intervals
- Up to 5 point pH calibration with automatic recognition for USA/NIST and DIN buffers or manual option for custom buffer values and calibration editing to fix individual points without a complete recalibration
- Whether you use ISE infrequently or have multiple samples every day—up to 5
  point ISE calibration with optional non-linear selectable auto-blank and lowconcentration range stability
- Automatic or manual conductivity calibration Auto-ranging conductivity measurements for high accuracy across all conductivity ranges
- Selectable reference temperatures of 5, 10, 15, 20 or 25 °C with linear, non-linear or EP curve options for temperature compensated conductivity readings
- Choice of practical salinity or natural sea water curves for salinity readings
- No need to worry about DO probe compatibility—the meter accepts and automatically recognizes Orion polarographic and RDO optical probes
- It's easy to get accurate DO results with automatic temperature, automatic/ manual barometric pressure and manual or automatic salinity compensation when used with simultaneously with a conductivity probe
- Calibrate for DO using water-saturated air, air-saturated water, custom value using a Winkler titration or zero-point calibration
- Non-volatile memory holds up to 5000 data points with time and date stamp
- Easily transfer data and keep meter software up-to-date with the USB and RS232 ports and complimentary Star Com computer software
- Four AA batteries (included) provide over 800 hours of operation or purchase the universal power adapter (sold separately)
- Perfectly portable, waterproof and protected to take anywhere with a IP67-rated housing

D. Specific Specifications	
1. pH Mode	
Temp Compensation (0 to 100 degC)	Automatic, Manual
pH Mode Resolution	0.1/0.01/0.001
pH Mode Range	-2 to 20
Slope Display	Yes, with offset
Calibration Points	Up to 5 points
pH Mode Accuracy	+/- 0.002 + 1 LSD
pH Calibration Editing	Yes
Multiple Slope Display	Yes, up to 5 different slopes
2. mV/RmV/ORP Mode	
mV/Rel mV/ORP Mode Resolution	0.1 mV
mV/Rel mV/ORP Mode Offset	Up to +/- 150 mV
Adjustment	·
mV/Rel mV/ORP Mode Range	+/- 2000 mV
mV/Rel mV/ORP Mode Accuracy	±0.2 mV or ±0.05% or reading, whichever is greater
Eн ORP Mode	Yes
Ell Old Wode	100
3. ISE Mode	
Range	0.0001 to 19900
Resolution	0.0001 minimum, auto ranging, upto 3 significant digits (user selectable)
Relative Accuracy	+/-0.2 mV or +/-0.05% of reading whichever is
Nelative Accuracy	greater
Units	PPM, M, mg/L, %, ppb, none
Calibration points	upto 5 points
Calibration editing	Yes
Calibration features	linear point to point, non-linear selectable
Cambration realares	auto-blank, low concentration range stability
	auto siariii, ioni ooriooriii aliori rarigo olasiiity
4. Conductivity Mode	
Conductivity Range	0.001 µS to 3000 mS
Conductivity Resolution	0.001 µS minimum; 4 significant fugures
	minimum
Conductivity Relative Accuracy	±0.5% of reading ±1 digit for conductivity >3 µS, and ±0.5%m of reading ±0.01 µS digit for
	conductivity <=3 µS
Conductivity Reference Temp.	5, 10, 15, 20, 25 ° C (default)
Conductivity Temp. Compensation	Linear (0 to 10.0%/°C), nLn, nLFu, USP/EP (USP), off
Conductivity Compatible Cell Constants	0.001 to 199.9

Conductivity Calibration Points	Up to 5 points
Conductivity Calibration Editing	Yes
5. Resistivity	
Resistivity Range	2 ohm to 100 meg-ohm
Resistivity Resolution	1 ohm or 0.1 meg-ohm, auto-ranging
Resistivity Relative Accuracy	0.5% reading ±1 digit
6. Salinity	
Salinity Type	Practical salinity or natural sea water
Salinity Range	0.06 to 80.0 ppt NaCl equivalent or psu; 0.05
	to 42 ppt sea water
Salinity Resolution	0.01 psu or 0.01 ppt
Salinity Relative Accuracy	0.5% reading ±1 digit
Manual salinity factor correction	Automatic with separate conductivity probe or
	manual; 0 to 45 ppt
7. TDS	
TDS Range	0.001 to 200 ppt
TDS Resolution	0.001 ppt minimum, auto ranging,
	up to 4 significant digits
TDS Relative Accuracy	±0.5% reading ±1 digit
TDS Factor Range	Linear 0.02 to 9.99, default 0.49
8. Dissolved Oxygen/D.O. Mode	
DO Concentration Polargraphic Range	0 to 90 mg/L
DO Concentration Polargraphic	0.01, 0.1
Resolution	
DO Concentration Polargraphic Relative	±0.2 mg/L or
Accuracy	±2 % of reading, whichever is greater
DO % Saturation Polargraphic Range	0 to 600% saturation
DO % Saturation Polargraphic	0.1, 1% saturation
Resolution	
DO % Saturation Polargraphic Relative	±2 % saturation or
Accuracy	±2 % of reading, whichever is greater
DO Concentration RDO Range	0 to 50 mg/L
DO Concentration RDO Resolution	0.01, 0.1
DO Concentration RDO Relative	±0.1 mg/L up to 8mg/L
Accuracy	±0.2 mg/L from 8 to 20 mg/l
D0 0/ 0 4 // DD0 D	10% of reading, 20 to 50 mg/L
DO % Saturation RDO Range	0 to 500 % saturation
DO % Saturation RDO Resolution	0.1, 1 % saturation

DO % Saturation RDO Relative	±2 % sat. ≤ 200 % sat.,
Accuracy	±10 % sat. > 200 % sat.
Barometric Pressure Correction	400 to 850 mmHg, automatic or manual
Salinity Factor Correction	Automatic with separate conductivity probe or
-	manual;
	0 to 45 ppt
Calibration Features	Features: Water saturated air, air saturated
	water, manual (Winkler) and zero point
Sensor Type	Polarographic or RDO
9. Temperature Mode	
Temperature Mode Range	-5 to 105 oC, 23 to 221 oF (RDO/DO: 0 to 50 oC, 32 to 122 oF)
Temperature Mode Resolution	0.1 degC, 0.1 degF
Temperature Mode Accuracy	±0.1 oC, ±0.1 oF
Offset calibration	1 point
Offset Adjustment	Offset in 0.1 degree increments; offset range: +/- 5 degC
	+/- 3 dego
10. Datalogging	
Memory	5000 with time and date stamp
Log Function	Manual, ready (includes AUTO-READ), timed
E. Additional Features	
Inputs	
pH electrode or ISE	BNC, reference pin
Conductivity or ATC Probe	8-pin mini-DIN
DO Probe	9-pin min-DIN
Output	RS232, usb
•	32
Power	
AC Adapter	Optional-universal AC Adapter, 100-240 VAC
Battery Power	Included-4 AA batteries
Battery life	800 hrs
Frequency	50/60Hz
Technical Requirements	
Supply Voltage	100/240V
F. Construction Features	
Cal Due Alarm	Yes

High / Low Alarms	Yes
Backlight	Yes (Adjustable)
Display Type	LCD
Adjustable Stirrer Speed	Yes
Language Selection Mode	Available
G. Test Reports	
Test Report Number and date	provide
Copies of test Reports/certificates and	provide
other certifications to be furnished to	
buyer on demand at time of supplies	una da
Availability of test report from central	provide
Govt/ NABL/ILAC accredited lab	
covering all parameters	
H Warrenty and Carvings	Fyor
H. Warranty and Services	5 year
I. Certification and Standards	
Certificates	ISO,FDA,USDA,EPA
ISO certification of manufacturer	ISO 9001:2015
ISO certification number and issued	CE,TUV3in1&FCCClassA
date	

<sup>\*\*</sup>Disclaimer\*\* Bidders are advised to exercise caution and not respond to any unknown calls, emails, or embedded links requesting payment for participating in the tender or for any other purpose. Please note that NITK Surathkal never asks for any tender fee for participation in tenders or bids.