# NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA, SURATHKAL

DEPARTMENT OF CHEMISTRY POST SRINIVASNAGAR, MANGALORE – 575 025 (D K)

Phone: (0824) 2474000. Fax: (0824) 2474033

E- mail: info@nitk.ac.in Website: http://www.nitk.ac.in



# **NOTICE INVITING QUOTATION**

Notification. No: NITK/CY/PG/OH35-IRG/2025-26/07

Dated:22/09/2025.

Name of Goods	Hollow fiber testing unit for the gas separation (to be fabricated)
Estimated Amount	Rs. 1,40,000/-
EMD Amount (2% of estimated amount) (Applicable for estimate above 2.5 lakhs)	-
Time for Supply of item after release of Purchase order	15 (Days)
Document Download / Sale Start Date	22/09/2025
Clarification Start Date	22/09/2025
Clarification End Date	23/09/2025
Bid Submission Start Date	22/09/2025
Last Date for submission of bids	06/10/2025 <b>before 10.00 AM</b>
Bid Opening Date	07/10/2025
Address for Submission of bids	Prof. Arun M Isloor, Professor Department of chemistry, NITK, Surathkal



# NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA, SURATHKAL DEPARTMENT OF CHEMISTRY

POST SRINIVASNAGAR, MANGALORE - 575 025

Phone: (0824) 2474000 Fax: (0824) 2474033

E- mail: info@nitk.ac.in Website: http://www.nitk.ac.in

Notification No: NITK/CY/PG/OH35-IRG/2025-26/07 Date: 22/09/2025

#### **NOTICE INVITING QUOTATION (NIQ)**

The National Institute of Technology Karnataka, Surathkal (in short – NITK, Surathkal) is an Institute of National Importance under Ministry of Education Govt of India, imparting Technical Education and engaged in Research Activities. It is proposed to procure the items for the departmental academic/research activities.

Sealed Quotations as per the Price Schedule given in this NIQ are invited for the following items subject to the terms and conditions, from the reputed manufacturers or its authorized dealers so as to reach on or before scheduled date and time. The quotations in the firm's Business letter head should be address to the "Director, NITK, Surathkal". The envelope shall be superscribed with the Quotation Notification Number and the Name of the Goods for which quotation is submitted.

Name of Goods	Hollow fiber testing unit for the gas separation (to be fabricated)
Estimated Amount	Rs. 1,40,000/-
EMD Amount (2% of estimated amount) (Applicable for estimate above 2.5 lakhs)	-
Time for Supply of item after release of Purchase order	15 (Days)
Document Download / Sale Start Date	22/09/2025
Clarification Start Date	22/09/2025
Clarification End Date	23/09/2025
Bid Submission Start Date	22/09/2025
Last Date for submission of bids	06/10/2025 before 10.00 AM
Bid Opening Date	07/10/2025
	Prof. Arun M Isloor, Professor Department of chemistry, NITK, Surathkal

Sd/-HOD

Note: Institute shall not be responsible for any postal delay about non-receipt /non-delivery of the bids or due to wrong addressee.

# SECTION-1 Terms and Conditions

- 1. The rates should be quoted for preferably FOR destination from supply within India.
- 2. The bidder shall indicate the excise duty exemption for the goods if applicable.
- The rate quoted should be on unit basis. Taxes and other charges should be quoted separately, considering exemptions if any. The rate should be quoted in INR only
- 4. Rate quoted should be inclusive of Testing, commissioning and Installation of equipment and Training.
- 5. Payment: No advance payment will be made. Payment will be made only after the supply of the item in good and satisfactory condition and receipt of performance security by supplier.
- Guarantee/Warrantee period should be specified for the complete period should be specified in section 3 of this tender document.
- 7. Period requirement for the supply and installation of item should be specified in section 3 of this tender document.
- 8. In case of dispute, the matter will be subject to Mangalore Jurisdiction only.
- 9. <u>Delivery Period</u>: The Delivery Period/Time shall be deemed to be the essence of the Contract and delivery must be completed not later than such date(s). If the Supplier does not perform its obligations within the Delivery Period/Date mentioned in the Contract, the same would constitute the breach of the Contract and the Institute shall have the right to cancel or withdraw the Contract for the unsupplied portion after the expiry of the original or extended delivery date or period stipulated in the Contract. Such cancellation of the contract on account of non performance by the Supplier would entitle the Buyer to forfeit the EMD/Performance Security besides other actions such as debarment from the Institute as per GFR 2017.
- 10. <u>Liquidated Damages</u>: Timely delivery is the essence of the contract and hence if the Supplier fails to deliver Goods within the original/extended delivery period(s) specified in the contract, the Institute will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 1% per week or part of the week of the delayed period as pre-estimated damages not exceeding 5% of the contract value without any controversy/dispute of any sort whatsoever.
- 11. The bidder needs to comply with restrictions under rule No 144 (xi) of GFR (General Financial Rules) 2017 and the clause pertaining to Public Procurement Division Order (Public Procurement no 1,2 & 3 vide ref. F.No.6/18/2019-PPD dated 23.07.2020 and 24.07.2020 of Dept of Expenditure (DOE), Ministry of Finance). In this Connection Bidder has to submit Self Certification (as per Annexure A or B), depending on the status of the bidder.
- 12. The bidder needs to submit a Self-certification in line with Make in India, Public Procurement Order No. P-45021/2/2017-BE-II dt. 15.06.2017, P 45021/2/2017-PP (BE-II) dated 28.05.2018, P-45021/2/2017-PP (BE-II) dated 29.05.2019 and P45021/2/2017- PP (BE II) dated 16.09.2020 of DPIIT, Ministry of Commerce & Industry.

- The Bidder who will not meet this criterion will be rejected in the technical bid. The Self-certification should be provided as per Annexure C.
- 13. EMD must be in the form of Bank Guarantee **Annexure-D** (Fixed Deposit Receipt/Insurance surety bonds/DD/e-Payment mode (through Credit/Debit cards / Net Banking). It will be valid for 180 days from the date of opening of the tender. In case of EMD payment made through E-Payment, UTR Number with details should be uploaded. The firm registered with MSME/NSIC as per MSME procurement policy order 2012 will be exempted from submission of EMD. Intended parties will have to give proof of registration along with their tender. EMD of the unsuccessful bidders shall be refunded without any interest at the earliest after finalization of the purchase of the concerned item.
  - a. The EMD will be returned to the BIDDERs(s) whose offer is not accepted by NITK within one month from the date of the placing of the purchase order(s) on the selected BIDDER(s). In the case of the BIDDER(s) whose offer is accepted the EMD will be returned on submission of Performance Security in the form of Bank Guarantee (BG). However, if the return of EMD is delayed for any reason, no interest/penalty shall be payable to the Bidders.
  - b. The successful BIDDER, on the award of contract/order, must send the contract/order acceptance in writing, within 15 days of award of contract/order failing which the EMD will be forfeited.
  - c. The EMD shall be forfeited in case a successful BIDDER fails to furnish the Performance Security.
  - d. Bidder should prepare the EMD as per the instructions specified in the tender document. The original EMD should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission as specified in the tender documents. The details of the BG/DD/FD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise, the uploaded bid will be rejected.
- 14. <a href="Performance Security">Performance Security</a>: The successful bidder shall deposit performance security of 3% of the quoted price in the form of Bank Guarantee (ANNEXURE-E) / Demand Draft / Fixed Deposit Receipt of any scheduled bank drawn in favour of The Director, NITK Surathkal, Mangaluru payable at Mangaluru. In case the bidder fails to deposit the said Performance Security within the stipulated period, including the extended period if any, the Earnest Money Deposited by the bidder shall be forfeited automatically without any notice. Please note the following points:
  - a. Successful bidder should submit performance Security as prescribed above to the purchase Section, NITK Surathkal, on or before 30 days from the date of issue of order acknowledgment.
  - b. Performance Security shall be for the due and faithful performance of the contract and shall remain binding, notwithstanding such variations, alterations for extensions of time as may be made, given, conceded, or agreed to between the successful bidder and the purchaser under the terms and conditions of acceptance to tender.

- c. The successful bidder is entirely responsible for the due performance of the contract in all respects according to the terms and conditions of the tender.
- d. The validity of the Performance Security must cover the warranty period plus two months.
- 15. Abnormally quoted low bid will be liable for rejection as per the OM No.F.12/17/2019-PPD of Department of Expenditure, Ministry of Finance dated 6<sup>th</sup> February 2020.

\*\*Disclaimer\*\* Bidders are advised to exercise caution and not respond to any unknown calls, emails, or embedded links requesting payment for participating in the tender or for any other purpose. Please note that NITK Surathkal never asks for any tender fee for participation in tenders or bids.

#### SECTION-2 SCHEDULE OF REQUIREMENTS, SPECIFICATIONS AND ALLIED DETAILS

[ To be filled up by the Department / Centre of NITK, Surathkal ]

Item(s) Name to be Procured

Brief Specifications of the Item(s)

(Annexure-F)

: Hollow fiber testing unit for the gas separation (to be fabricated)

: List attached

:1 Quantity

Any other details / requirement

Warranty Period required : 3 years

Delivery Schedule expected after placement of Purchase order

(in Weeks) : 2 weeks

Performance Security to be given by Successful Bidder after release of

Purchase Order (in Rupees)

(applicable for estimate Above 2.5 lakhs)

### SECTION 3 PRICE SCHEDULE

[ To be used by the bidder for submission of the quotation]

1.	Item Name	:	
2.	Specifications (Conforming to Schedule of requirements Enclose additional sheets if necessary)	:	
3.	Currency and Unit Price	:	
4.	Quantity	:	
5.	Item Cost (SI No. 3 * SI. No. 4)	:	
6.	Taxes and Other Charges (i) Specify the type of taxes and duties in percentages and also in figures. (ii) Specify Other Charges in figures.	:	
7.	Warranty Period (Conforming to the Schedule of requirements)	:	
8.	Delivery Schedule (Conforming to the Schedule of requirements)	:	
9.	Name and address of the Firm for placing purchase order	:	
10.	Name and address of Indian authorized agent ( in case of imports only)	:	
Signat	ure of the Bidder:		
Name	and Designation:		
Busine	ess Address :		
Place: Date:			Seal of the Bidder's Firm

# SECTION 4 CONTRACT FORM

[ To be provided by the bidder in the business letter head]

- 1. (Name of the Supplier's Firm) hereby abide by the delivery schedule mentioned in this document for supply of the items if the purchase order is awarded.
- 2. The item will be supplied conforming to the specifications stated in this document without any defect and deviations.
- 3. Warranty will be given for the period mentioned in this document and service will be rendered to the satisfaction of NITK, Surathkal during this period.

Signature of the Bidd	er:	
Name	:	
Business Address	:	
Place : Date :		Seal of the Bidder's Firm

### Annexure-A

# (Compliance to be submitted in the bidder's letterhead) (Applicable for estimate above 2.5 lakhs)

Sub: Compliance to Government of India order OM No.6/18/2019-PPD dated 23.07.2020 & 24.7.2020 regarding restrictions under Rule 144 (XI) of the General Financial Rules (GFRs), 2017

Item Name:	
Enquiry No.:	
pertaining to the Deprocurement no 1,2 restrictions on proc	
ender. Note: Non-complia	ance of above said Gol Order and its subsequent amendment, (if any), by any to commercial rejection of their bids by NITK)
	(Name of the bidder) seal of an authorized representative of the bidder)

### Annexure-B

# (Compliance to be submitted in the bidder's letterhead) (Applicable for estimate above 2.5 lakhs)

Sub: Compliance to Government of India order OM No.6/18/2019-PPD dated 23.07.2020 & 24.7.2020 regarding restrictions under Rule 144 (XI) of the General Financial Rules (GFRs), 2017

Item Name:	
Enquiry No.:	
' '	
\A/ \BA/	
We M/s.	(name of the bidder company) have read the clauses
	epartment of Expenditure's (DoE) Public Procurement Division Order (Public 2 & 3 vide ref. F.No.6/18/2019-PPD dated 23.07.2020 & 24.7.2020) regarding
•	urement from a bidder of a country which shares a land border with India.
restrictions on proc	diement from a blader of a country which shares a land border with mala.
We are from such	a country which shares a land border with India & have been registered with
	hority as specified in the above-said order. We hereby certify that we fulfill all
•	s regard and are eligible to be considered.
Evidence of valid re	egistration by the Competent Authority is attached.
/A.I. ( A.I. P.	
	ance of above said Gol Order and its subsequent amendment, (if any), by any
bidder(s) shall lead	to commercial rejection of their bids by NITK)
For and behalf of	(Name of the bidder)
1 01 and 50nan 01	(Name of the blader)
(Signature, date &	seal of an authorized representative of the bidder)

#### **Annexure-C**

# Self-Certification on the letterhead of the company (Applicable for estimate above 5 lakhs)

In line with Government Public Procurement Order No. P-45021/2/2017-BE-II dt. 15.06.2017, P-45021/2/2017-PP (BE-II) dated 28.05.2018, P-45021/2/2017-PP (BE-II) dated 29.05.2019 and P-45021/2/2017-PP (BE-II) dated 16.09.2020, we hereby certify that (Supplier name) are local supplier meeting requirement of minimum local content % defined in as above orders for the material against Enquiry / Tender No Details of the location at which local value addition will be made are as follows: We also understand false declarations will be in breach of the Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which a bidder or its successors can be debarred for up to two years as per Rule 151 (iii) of the General Financial Rules along with such other actions as may be permitted under law. Signature: Date: Place: Name and Designation: Mobile no: Office Telephone No: Email ID:

Office Seal:

#### FORMAT FOR EARNEST MONEY DEPOSIT / BID BOND

(Applicable for estimate above 2.5 lakhs)

(To be typed on <u>Non-judicial stamp paper</u> of value Indian Rupees Five Hundred) (TO BE ESTABLISHED THROUGH ANY OF THE NATIONAL BANKS (WHETHER SITUATED AT MANGALURU OR OUTSTATION) WITH A CLAUSE TO ENFORCE THE SAME ON THEIR LOCAL BRANCH AT MANGALURU OR ANY SCHEDULED BANK (OTHER THAN NATIONALISED BANK) SITUATED AT MANGALURU. BONDS ISSUED BY COOPERATIVE BANKS ARE NOT ACCEPTED)

LETTER OF GUARANTEE To
Director, National Institute of Technology Karnataka, Srinivasnagar P.O., Surathkal Mangaluru – 575025
IN ACCORDANCE WITH YOUR TENDER for the supply of
supply
During the validity of this Bank Guarantee:  We,
reservation, protest, demur and recourse. Any such demand made by theNITK Surathkal shall be conclusive and recourse. Any such demand made by the purchaser shall be binding on the Bank irrespective of any dispute or difference raised by the Bidder.  The Guarantee shall be irrevocable and shall remain valid up to
Notwithstanding anything contained herein:

\* Our liability under this Bank Guarantee shall not exceed Rs...... (Rupees......).

- \* This Bank Guarantee shall be valid up to.....(date).
- \* We are liable to pay the guaranteed amount or any part thereof under this Bank Guarantee Only and only if you serve upon us a written claim on or before ......(date).

This Bank further agrees that the claims if any, against this Bank Guarantee shall be enforceable at our branch office at ........situated at ......(Address of local branch).

#### Yours truly,

Signature and seal of the guarantor: Name of Bank:

Address:

Date:

Instruction to Bank: Bank should note that on expiry of Bond Period, the Original Bond will not be returned to the Bank. The bank is requested to take appropriate necessary action on or after the expiry of the bond period

### Annexure-E

### FORMAT FOR PERFORMANCE GUARANTEE BOND

(To be typed on Non-judicial stamp paper of the value of Indian Rupees of Five Hundred)
(Applicable for estimate above 2.5 lakhs)

To, Director, National Institute of Technology Karnataka, Srinivasnagar P.O., Surathkal Mangaluru – 575025
Whereas
And Whereas you have stipulated it in the said contract that the contractor shall furnish you with a pank guarantee by a Commercial bank for the sum specified therein as security for compliance with its obligations as per the contract;
And Whereas we have agreed to give the contractor such a bank guarantee.
Now Therefore we hereby affirm that we are guarantors and responsible to you, on behalf of the contractor, up to a total of
We hereby waive the necessity of your demanding the sail debt from the contractor before presenting us with demand.
We further agree that no change or addition to or other modification of the terms of the contract to be performed thereunder or of any of the contract documents which may be made between you and the contractor shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification.
This guarantee shall be valid until theday of20
Our*(Name & Address of the*(branch) is liable to pay the guaranteed amount depending on the filing of a claim and any part thereof under this Bank Guarantee only and only if you serve upon us at our* branch a written claim or demand and received by us at our
oranch on or before Dt otherwise, the bank shall be discharged of all liabilities under this guarantee after that.

(Signature of the authorized officer of the Bank)
Name and designation of the officer
Seal, name & address of the Bank and address of Branch

\*Preferably at the headquarters of the authority competent to sanction the expenditure for the procurement of goods or at the concerned district headquarters or the state headquarters.

# SPECIFICATION GAS SEPARATION TESTING UNIT

### 1. List of Components for Panel

SL NO.	Item Description	Item Specification	Quantity (In No's)
1	PRV – Pressure Regulatory Valve	Inlet: up to 10 kg/cm², Outlet: adjustable 0.5–1 kg/cm², diaphragm type, SS316 body, 1/4" NPT (F), suitable for fine control of line pressure.  ISO 2503 – Pressure regulators for gas cylinders	01
2	MT – Moisture Trap	SS316 body, coalescing type moisture trap, 1/4" NPT (F) connection, suitable for compressed gas lines, removes fine moisture/aerosols, pressure rating: ≥10 bar ISO 8573-1, ISO 12500-1/2	01
3	HT- Hydrocarbon Trap	Activated carbon media, SS316 housing, 1/4" NPT (F), operating pressure: up to 10 bar, temp: 0–60°C, removal efficiency ≥95% VOCs/hydrocarbons, replaceable cartridge, inline mount ISO 8573-5, ISO 12500-3	01
4	DT – Dust Trap	0.1–1 µm particulate filter, PTFE/SS mesh, SS316 body, 1/4" NPT ISO 8573-4	01
5	NRV – Non- Return Valve	SS316 body, spring-loaded type, connection: 1/4" NPT (F) ISO 10297:2024; ISO 21011; ISO 23826	01
6	FM – Flow Meter	Manual/Digital flow meter: Thermal mass flow meter range 0-5LPM, accuracy: ±1.5% FS, display: LCD, output: 4-20mA/RS485, Power supply: 24V DC, SS316 flow body, 1/4"NPT(F), Suitable for Non corrosive gases, inline mountable ISO 14511	03
7	NV/BV – Needle/Ball Valve	SS316, 2-way, full port, 1/4" NPT (F), pressure rating: up to 20 bar (300 psi), manual lever handle ISO 10297:2024; ISO 21011; ISO 23826	02
8	PG – Pressure Gauge	SS304/SS316 case, panel mount (rear entry with front flange), 1/4" BSP/NPT rear connection, dial size: 63 mm or 100 mm, ranges: 0–10 bar, accuracy: ±1.6% FS ISO 5171	03
9	GSM – Gas Separation Module	SS Housing, Length: 30 cm, ports with inner diameters: 1.5cm (x 3Nos), 2.5Cm (x1No), 3.5cm (x1No); all ports with 0.5cm wall thickness. ¼ " OD compression, tube compatible.	01

	ISO 1127	
HT – Humidity and Temp Analyser	Range: (1) for Humidity 0–100% RH, Accuracy: ±3% RH, (2) for Temperature -40 to-100-degree C. Output: 4–20 mA, Power Supply: 18.5 to 35 VDC, Housing Material: PC Shell, SS Probe & SS Sintered filter. High Protection Grade IP65 Iso 7726 1998	01
SS316 - Tubing	SS304, 1/4" OD, seamless, suitable for up to 20 bar working pressure.  ISO 1127 – Stainless steel tubes — Dimensions and tolerances	05 mtr
Hand Held Multi Gas Analyser	CO <sub>2</sub> , CH <sub>4</sub> , H <sub>2</sub> , and H <sub>2</sub> S  Detection Range:  CO <sub>2</sub> : 0–100% vol (±0.5% accuracy up to 60%)  CH <sub>4</sub> : 0–1000 vol (±0.5% accuracy up to 70%)  H <sub>2</sub> : 0–1000 ppm (±1–2% FS)  H <sub>2</sub> S: 0–100 ppm or up to 10,000 ppm (±1–2% FS)  Battery Type: Rechargeable NiMH or Li-ion  Battery Life: 8–12 hours typical use  Charging Time: ~4 hours from full discharge  Charger: Intelligent charger (100–240V AC input)  Display Type: LCD or OLED with real-time gas concentration  User Interface: Soft keys or touchscreen with menu navigation  Alarms: Audible, visual, and vibration alerts for threshold breaches  Data Logging: 2,000–4,000 readings with time stamps  Connectivity: USB, Bluetooth, or RS-232 for data transfer	01
	<ul> <li>Pump Type: Internal high-suction pump with supervisory circuit</li> <li>Sampling Method: Diffusion or active suction</li> </ul>	
	and Temp Analyser  SS316 - Tubing  Hand Held Multi	and Temp Analyser  RH, (2) for Temperature -40 to-100-degree C. Output: 4-20 mA, Power Supply: 18.5 to 35 VDC, Housing Material: PC Shell, SS Probe & SS Sintered filter. High Protection Grade IP65 Iso 7726 1998  SS316 - Tubing  SS304, 1/4" OD, seamless, suitable for up to 20 bar working pressure. ISO 1127 - Stainless steel tubes — Dimensions and tolerances  CO2, CH4, H2, and H2S Detection Range:  • CO2: 0-100% vol (±0.5% accuracy up to 60%) • CH4: 0-1009 vol (±0.5% accuracy up to 70%) • H2: 0-1000 ppm (±1-2% FS) • Has: 0-100 ppm or up to 10,000 ppm (±1-2% FS)  • Battery Type: Rechargeable NiMH or Li-ion • Battery Life: 8-12 hours typical use • Charging Time: ~4 hours from full discharge • Charger: Intelligent charger (100-240V AC input) • Display Type: LCD or OLED with real-time gas concentration  • User Interface: Soft keys or touchscreen with menu navigation • Alarms: Audible, visual, and vibration alerts for threshold breaches • Data Logging: 2,000-4,000 readings with time stamps • Connectivity: USB, Bluctooth, or RS-232 for data transfer • Pump Type: Internal high-suction pump with supervisory circuit

	<ul> <li>Enclosure: IP66/67 rated for dust and water resistance</li> <li>Certifications: ATEX, IECEx, CSA, MCERTS, ISO 17025 calibration</li> <li>Operating Temp: -10°C to +70°C</li> </ul>		
		• <b>Weight:</b> Typically <1.5 kg for portability	
13	Gas Sampling Bag	Multilayer Foil Gas Sampling Bag Capacity -1ltr	10

2. Operating Parameters

Sl. No	Parameters	Limits
1	Temperature	0-70°C
2	Pressure	Max 10bar
3	Humidity	40-80Rh
4	Flow	5-100lpm

#### 3. Materials To Be Used

Sl. No	Material
1	SS316
	Coated with anticorrosive coatings

### 4. Type of Panel Construction

Sl. No	Panel Construction Type
1	Panel Mount or Tabletop

### **Key Terms & Conditions to Add**

#### 1. Commercial Terms

- **Scope of supply**: Must cover design, engineering, fabrication, assembly, testing (FAT/SAT), packing, transport, delivery, installation, commissioning, and training.
- **Price basis**: Fixed price (no escalation) inclusive of all duties, taxes, freight, and insurance (unless otherwise specified).

- Currency & payment terms: Payment: 100% against commissioning of the system / Submission of Proforma Invoice.
- **Delivery schedule**: Within 30-45days against receipt of your P.O.
- **Liquidated damages (LD)**: Penalty for delay as per GEM rules.
- Warranty: 18–24 months from commissioning for system and min. 3 years for analyser.
- Calibration: One free calibration of analyser within warranty period.
- **Performance guarantee**: Must meet the specified purity/flow; shortfall to be compensated by rectification or replacement at vendor cost.
- Installation Charges: Included in the quote value.

#### 2. Technical Compliance

- **Conformance statement**: Vendor must submit a point-by-point compliance sheet against each clause of the spec.
- **Deviation list**: Any deviations must be clearly listed.
- **Standards compliance**: All equipment must comply with ISO, IEC, EN, ASME, ASTM where specified.

#### 3. Quality & Documentation

- Material certification: MTCs (EN 10204 3.1 or equivalent) for all metallics.
- Calibration certificates: All instruments with ISO/IEC 17025 traceable certificates (≤6 months old at FAT).
- Inspection & tests:
  - o FAT at vendor works with buyer/third-party witness.
  - o SAT at buyer's site.
- Quality plan (QAP/ITP): Vendor must submit for approval before starting fabrication.
- **Drawings & manuals**: Vendor to provide GA drawings, P&ID, wiring diagrams, operation manuals, maintenance manuals, spare parts list.
- **Training**: On-site operator training (minimum 2 days) included.

#### 4. Safety & Compliance

- Overpressure protection: Relief valves/rupture discs per ISO 4126.
- Electrical safety: IEC 60204-1, IEC 60529 (IP rating), earthing provided.
- Hazardous area compliance: If applicable, equipment must meet ATEX/IECEx certification.
- ISO 12100 (machinery safety risk assessment),
- ISO 4414 (pneumatic systems safety) if pneumatics present,
- IEC 60204-1 (electrical equipment of machines),
- IEC 60529 (IP ratings),
- ISO 4126 (pressure relief devices),
- ISO 8573-1/-2/-4/-5 and ISO 12500 series (air quality & filter performance) for your MT/HT/DT
- **5.** The Vendor shall submit a list of components or equipment value exceeding INR 5,00,000 that have been supplied to any Government organizations, along with relevant purchase order/contract references, if applicable."

#### 6. Packaging, Transport & Delivery

- Packaging: Export-worthy, weatherproof, shockproof, with desiccants where needed.
- Marking: Package to have PO no., gross/net weight, handling instructions.
- **Insurance**: Vendor responsible until delivery/commissioning.

#### 7. After-Sales Support

• **Spares**: Vendor to provide recommended 1-year and 2-year spares list with pricing.

•			
		Page <b>21</b> of <b>21</b>	