Date: 13/11/2025

NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA SURATHKAL HOSTELS TRUST®

POST SRINIVASNAGAR, MANGALORE - 575 025 (D K)

Phone: (0824) 24743107 Mobile: 6364244536

E- mail: hosteloffice@nitk.edu.in Website: http://www.nitk.ac.in



NOTICE INVITING QUOTATION

Notification. No: 70/NITKSH/DK,PU & PP/ 2025-26/Supdt.

Name of Goods	Supply and Installation of Dough Kneading, Pulverize & Potato Peeler Machine for Karavali & Aravali Mess of NITKS Hostels.		
Estimated Amount	Rs.1,90,000/- (GST Extra)		
Last Date for submission of Quotation	20/11/2025 before 3.00 PM		
Bid Opening Date	20/11/2025 at 4.00 PM (if possible)		
Contact person	Professor in charge, Hostels, Phone: +91-824-24743107, Mob: 6364244536 Email: chiefwarden@nitk.edu.in		
Address for Submission of Quotation	NITK Hostel Office, First floor, Sahyadri Hostel Block building, Srinivasnagar, Mangalore – 575025.		



NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA, SURATHKAL HOSTELS TRUST® SRINIVASNAGAR, MANGALORE - 575 025.

Phone: (0824) 24743107 Mobile: 6364244536

E-mail: hosteloffice@nitk.edu.in Website: http://www.nitk.ac.in

Notification. No: 70/NITKSH/DK,PU & PP/ 2025-26/Supdt.

NOTICE INVITING QUOTATION (NIQ)

Sealed Quotations as per the Price Schedule given in this NIQ are invited for the following items subject to the terms and conditions, from the reputed manufacturers or its authorized dealers so as to reach on or before scheduled date and time. The quotations in the firm's Business letter head should be address to the "Professor In- charge, Hostels, NITK, Surathkal". The envelope shall be superscribed with the Quotation Notification Number and the Name of the Goods for which quotation is submitted.

Name of Goods	Supply and Installation of Dough Kneading, Pulverize & Potato Peeler Machine for Karavali & Aravali Mess of NITKS Hostels.		
Estimated Amount	Rs.1,90,000/- (GST Extra)		
Last Date for submission of Quotation	20/11/2025 before 3.00 PM		
Bid Opening Date	20/11/2025 at 4.00 PM (if possible)		
Contact person	Professor in charge, Hostels, Phone: +91-824-2473107, Mob: 6364244536 Email: chiefwarden@nitk.edu.in		
Address for Submission of Quotation	NITK Hostel Office, First floor, Sahyadri Hostel Block building, Srinivasnagar, Mangalore – 575025.		

*Sd/-*Professor In- charge, Hostels

Date: 13/11/2025

Note: Institute shall not be responsible for any postal delay about non-receipt /non-delivery of the bids or due to wrong addressee.

SECTION-1 Terms and Conditions

- 1. The rates should be quoted for preferably FOR destination from supply within India.
- The vendor should have at least 15 years of Experience in Kitchen Equipment Manufacturing and supporting document should be attached.
- 3. The vendor should possess ISO 9001:2015, ISO 22000:2018, ISO 45001:2018 and NSIC Certificate.
- 4. The rate quoted should be on unit basis. Taxes and other charges should be quoted separately, considering exemptions if any. The rate should be quoted in INR only
- 5. Rate quoted should be inclusive of Testing, commissioning and Installation of equipment and Training.
- 6. The bidder needs to comply with all the terms and condition and specification mentioned in the tender document failing to which their bid will be rejected.
- 7. Payment: No advance payment will be made. Payment will be made only after the supply of item in good and satisfactory condition.
- 8. Guarantee/Warranty period should be specified for the complete period should be specified in section 3 of this tender document.
- 9. Period requirement for the supply and installation of item should be specified in section 3 of this tender document.
- 10. In case of dispute, the matter will be subject to Mangalore Jurisdiction only.
- 11. The NITK Hostels reserves the right to cancel or reduce the quantity included in the schedule of requirements at any time after acceptance of the tender with a notice.
- 12. The Lowest bid (L1) will be finalized based on the overall total price. So, bidders need to participate for all the items.
- 13. Within 48 hours of breakdown, the vendor has to arrange standby machine in warranty/ AMC period.
- 14. The service center should be in Mangalore or Udupi and the supporting document should be attached.

SCHEDULE OF REQUIREMENTS, SPECIFICATIONS AND ALLIED DETAILS

[To be filled up by the Department / Centre of NITK, Surathkal]

Item(s) Name to be Procured : Dough Kneading, Pulverizer & Potato Peeler Machine for Karavali &

Aravali Mess of NITKS Hostels.

Type (Equipment/Software/Furniture/Others) : Equipment

Brief Specifications of the Item(s) (Attach Additional Sheet if necessary)

: As Per Annexure 'A'

Quantity : As Per Annexure 'A'.

Warranty Period (in year) :1 year

Delivery Schedule expected

after the release of a Purchase order

(in Weeks) : 1 week

Performance Security to be given

by Successful Bidder after release of : 3% of Purchase Order

SECTION 3 PRICE SCHEDULE

[To be used by the bidder for submission of the quotation]

Reference Number: Date:

SI. No.	Particulars	Brand	Quantity	UOM	Rate Per unit ₹	Tax Per unit ₹	Amount Per Unit ₹
1	Dough Kneading Machine: 40 kg capacity		1	No's			
2	2 Pulverizer:3 phase,5 HP Motor		2	No's			
3	Potato Peeler: 10 kg capacity		2	No's			
4	Starter		3	No's			

DI	0 (4 0 1 1 5
Place:	Seal of the Bidder's Firm

SECTION 4 CONTRACT FORM

[To be provided by the bidder in the business letter head]

- 1. (Name of the Supplier's Firm) hereby abide by the delivery schedule mentioned in this document for supply of the items if the purchase order is awarded.
- 2. The item will be supplied conforming to the specifications stated in this document without any defect and deviations.
- 3. Warranty will be given for the period mentioned in this document and service will be rendered to the satisfaction of NITK, Surathkal during this period.

9		
Name	:	
Business Address	:	
Place :		Seal of the Bidder's Firm

Signature of the Bidder:

Date:

Page **6** of **8**

Detailed Technical Specifications:

Annexure-'A'

SI. No.	Description	Specification			
		Product Type: Electric operated			
1	Dough Kneading Machine	Material: Made out of M.S. body with S.S. bowl			
'		Capacity: 40 kg			
		Motor: 2HP			
	Pulverizer	Product Type: Electric operated			
		Material: Made out of Stainless Steel body			
		Design Features: 9" Grinding Chamber Direct drive model. It comprises of a Feeding			
2		Hopper. Grinder body Inlaid with Ratchets Teeth liner on top- and Perforated stainless			
		steel Screen at the bottom, with Delivery Trough attatched to the Discharge end. Rotor			
		with Beaters mounted on Motor Shaft Running at a speed of 2800RPM, Whole unit			
		mounted on stand, complete with set of 3 Screens.			
		Motor: 5HP Motor, Three Phase.			
	Potato Peeler	Product Type: Electric operated			
3		Material: Made out of aluminum body with stand			
		Capacity: 10 kg			
		Motor: 1HP Motor, Three Phase.			
	Starter	Product Type: Electric operated.			
4		Material: Metal body			
		Make: L & T or equivalent			
		Motor: To suit a motor of 2/3 HP capacity			
		Voltage: 2.5 to 4.00 amps			

Compliance Statement of Specifications:

Annexure – 'B'

SI. No.	Description	Specification	Compliance Whether YES or NO	Deviations if any to be indicated in unambiguous terms
	Dough Kneading Machine	Product Type: Electric operated		
1		Material: Made out of M.S. body with S.S. bowl		
'		Capacity: 40 kg		
		Motor: 2HP		
		Product Type: Electric operated		
		Material: Made out of Stainless Steel body		
	Pulverizer	Design Features: 9" Grinding Chamber Direct drive model. It comprises of a Feeding		
2		Hopper. Grinder body Inlaid with Ratchets Teeth liner on top- and Perforated stainless		
		steel Screen at the bottom, with Delivery Trough attatched to the Discharge end. Rotor		
		with Beaters mounted on Motor Shaft Running at a speed of 2800RPM, Whole unit		
		mounted on stand, complete with set of 3 Screens.		
		Motor: 5HP Motor, Three Phase.		
	Potato Peeler	Product Type: Electric operated		
3		Material: Made out of aluminum body with stand		
3		Capacity: 10 kg		
		Motor: 1HP Motor, Three Phase.		
	Starter	Product Type: Electric operated.		
4		Material: Metal body		
		Make: L & T or equivalent		
		Motor: To suit a motor of 2/3 HP capacity		
		Voltage: 2.5 to 4.00 amps		